

**Amendments to the Claims:**

This listing of claims will replace all prior versions and listings of claims in the application:

1. (Cancelled)
2. (Cancelled)
3. (Currently Amended) A The manifold according to claim 1, for a water purification system having a boiling tank, comprising:  
a body having a water inlet port for connection to a water supply, a water exit port, a first fluid passage connecting the water inlet port to the water exit port, a drain inlet port for connection to the boiling tank, a drain outlet port, a second flow passage connecting the drain inlet port to the drain outlet port, and a third flow passage connecting the first flow passage with the second flow passage so that hot water from the boiling tank may be mixed with cooler water from the water inlet port within the second flow passage within the body, the second and third flow passages each defining a longitudinal axis, and the two longitudinal axes are disposed at a shallow angle with respect to each other so that water flowing in the third flow passage from the water inlet port creates a venturi effect urging water within the second flow passage to flow toward the drain outlet port; and  
wherein the angle is about 8 degrees.
4. (Cancelled)
5. (Cancelled)
6. (Cancelled)
7. (Cancelled)
8. (Cancelled)

9. (Cancelled)

10. (Cancelled)

11. (Cancelled)

12. (Cancelled)

13. (Currently Amended) A The manifold according to claim 10, for a water purification system having a boiling tank, comprising:

a body having a water inlet port for connection to a water supply, a water exit port, a first fluid passage connecting the water inlet port to the water exit port, a drain inlet port for connection to the boiling tank, a drain outlet port, a second flow passage connecting the drain inlet port to the drain outlet port, and means for creating a venturi effect in the second flow passage to produce a suction in the second flow passage and on the drain inlet port; the means for creating the venturi effect including a third flow passage connecting the first flow passage with the second flow passage, the second and third flow passages each defining a longitudinal axis, and the longitudinal axes of the second and third flow passages disposed at a shallow angle with respect to each other, the venturi effect created by water flowing in the third flow passage from the water inlet port and urging water within the second flow passage to flow toward the drain outlet port; and

wherein the angle is about 8 degrees.

14. (Previously Presented) A water purification system for purifying water from a water supply, comprising:

a boiling tank for boiling water from the water supply;

a condenser connected to said boiling tank for receiving steam from said boiling tank and for condensing the steam to form distilled water;

a distilled water tank connected to said condenser for collecting distilled water from said condenser; and

a manifold disposed between the water supply and said boiling tank, said manifold comprising a body having a water inlet port configured for connection to the water supply, a water exit port connected to the boiling tank, a first fluid passage connecting the water inlet port to the water exit port, a drain inlet port connected to the boiling tank, a drain outlet port, a second flow passage connecting the drain inlet port to the drain outlet port, and a third flow passage connecting the first flow passage with the second flow passage so that hot water from the boiling tank may be mixed with cooler water from the water inlet port within the second flow passage within the body;

the second and third flow passages each defining a longitudinal axis, the two longitudinal axes disposed at a shallow angle with respect to each other, so that flow of water in the third passage from the water inlet port creates a venturi effect within the second flow passage urging water within the second passage to flow to the drain outlet port.

15. (Original) The water purification system according to claim 14, further including a control tank having an inlet connected to the water exit port and an outlet connected to the boiling tank.

16. (Original) The water purification system according to claim 15, wherein the outlet of the control tank is connected to the drain inlet port of the manifold.

17. (Cancelled)

18. (Previously Presented) The water purification system according to claim 14, wherein the angle is about 8 degrees.

19. (Original) The water purification system according to claim 14, further including a valve connected to the body and configured to selectively control flow in the first fluid passage between the water inlet port and the water exit port.

20. (Original) The water purification system according to claim 14, further including a valve connected to the body and configured to selectively control flow in the second fluid passage between the drain inlet port and the drain outlet port.

21. (Original) The water purification system according to claim 14, further including a valve connected to the body and configured to selectively control flow in the third fluid passage between the first flow passage and the second flow passage.